

# Digital Health Informatics: Bridging Clinical Gaps through AI, Wearable Sensors, and Telemedicine Technologies

Yusuf Haroon Wafa Thabassum<sup>1</sup> | Zakir Hussain Aysha Saliha<sup>1</sup> | Vignaraja Varsha Veronica<sup>1</sup> | Francis Maria Dharshini<sup>1</sup> | Sahaya Josephraj Reina Sharon<sup>1</sup> | Baskar Ramya<sup>1</sup> | Periyasamy Vijayalakshmi<sup>1</sup>

1. PG & Research Department of Biotechnology & Bioinformatics, Holy Cross College (Autonomous), Affiliated to Bharathidasan University, Tiruchirappalli, Tamil Nadu, India.

## Abstract

The fast-paced development of digital health informatics is transforming the way we think about proactive, personalized and data-driven healthcare. This review underscores the integrating power of AI, wearable sensors and telemedicine platforms in facilitating real-time monitoring, early diagnosis and remote care, especially to underserved communities. It examines how AI drives predictive analytics, how wearable technologies enhance continuous biometric monitoring, and how telemedicine improves care continuity for individuals living in remote areas. The combined use of these technologies has the potential to democratize medical care and improve clinical results. Challenges yet to be addressed are data interoperability, user privacy, digital literacy discrepancies and algorithmic bias. The article also discusses new frontiers including digital therapeutics, federated learning and decentralized data ecosystems that promise to reshape patient-centered health systems even more.

## 1. Introduction

The healthcare industry is undergoing a fundamental transformation driven by advances in digital technologies. Traditionally, healthcare systems have operated within reactive and fragmented care models, focused on episodic interventions, disease-centric approaches, and location-dependent services (Stoumpos *et al.* 2023). While these models have served populations for decades, they have increasingly proven inadequate in meeting the demands of modern medicine, particularly in the context of rising chronic disease burdens, aging populations, health crises such as pandemics, and growing disparities in healthcare access. One of the most pressing needs in the current global health landscape is the integration of digital transformation into healthcare infrastructure. The digital revolution offers a paradigm shift from traditional provider-centered care toward proactive, data-driven, and patient-centric health systems (Cacciatore *et al.* 2025). With the exponential growth of data from electronic health records (EHRs), wearable biosensors, genomic datasets, and mobile health applications, there is an urgent need to harness this information through advanced informatics platforms to improve clinical decision-making, enhance population health management, and streamline healthcare delivery. Clinical gaps persist in conventional healthcare models, particularly in three major domains: accessibility, continuity, and affordability. Access to timely, quality care is limited for individuals in remote, rural, and underserved areas. Even in urban centers, long waiting times and fragmented specialty referrals can delay interventions (Linder *et al.* 2021). Care continuity is disrupted by a lack of integration between primary, specialty, and tertiary providers, as well as insufficient data-sharing mechanisms. Affordability continues to hinder equitable healthcare, as repeated visits, diagnostics, and hospitalizations often impose financial burdens on patients. These challenges are amplified during public health emergencies, when the need for scalable and agile healthcare responses becomes critical (Almalki *et al.* 2023). Against this backdrop, digital health informatics emerges as a pivotal domain capable of transforming how healthcare is delivered, monitored, and evaluated (Talal *et al.* 2019). Broadly defined, digital health informatics is the interdisciplinary application of information science, computer technology, data analytics, and biomedical knowledge to manage health data and optimize patient care (He *et al.* 2024; Kulikowski 2022). It encompasses a wide array of tools, including artificial intelligence (AI) algorithms, wearable health sensors, telemedicine platforms, mobile health (mHealth) applications, cloud-based patient management systems, and real-time clinical decision support systems (CDSS). The scope of digital health informatics spans the

entire continuum of care, from prevention and early diagnosis to treatment, rehabilitation, and long-term monitoring. AI-powered diagnostic tools assist clinicians in interpreting radiological images and predicting disease risks based on patient history (Riaz *et al.* 2025). Wearable biosensors continuously collect physiological data, such as heart rate, oxygen saturation, and blood glucose, enabling real-time alerts for acute events (Vo and Trinh 2024). Telemedicine platforms connect patients and providers across geographic barriers, reducing travel costs and improving specialist access (Ezeamii *et al.* 2024). In addition to enhancing clinical outcomes, digital informatics systems promote operational efficiency, allowing hospitals and health networks to optimize workflows, allocate resources dynamically, and reduce avoidable admissions (Haleem *et al.* 2021). Public health surveillance and outbreak response efforts have also been significantly enhanced through the integrating of digital tools that facilitate rapid data collection, visualization, and modeling. This review article explores how digital health informatics, anchored by AI, wearable sensors, and telemedicine, can bridge longstanding clinical gaps and transform healthcare into a more responsive, inclusive, and efficient system (Donelle *et al.* 2023). Through critical analysis of current technologies, real-world implementations, and emerging innovations, this review aims to illuminate the potential and challenges of deploying digital informatics as a cornerstone of modern healthcare delivery (Mumtaz *et al.* 2023).


## 2. The Pillars of Digital Health Informatics

### 2.1. Artificial Intelligence in Healthcare

Artificial intelligence (AI) has emerged as a transformative force in modern healthcare, offering capabilities to analyse complex medical data, automate routine processes, and enhance clinical decision-making (Figure 1) (Fahim *et al.* 2025).

Received on	: 2025-08-31	<b>Key Words:</b>
Revised on	: 2025-09-19	Telemedicine
Accepted on	: 2025-10-10	Federated learning
Published Online	: 2026-01-28	Personalized Medicine
Review Model	: Single-Blind Review	Digital therapeutics
No. of Reviewers	: Two	Healthcare
Edited by	: Dr. Chandrabose Selvaraj	Artificial Intelligence
Vol and Issue	: 02 (01)	Public Health
Page No	: 31-39	
Plagiarism Level	: 08% and 15% (AI)	DOI: 10.64659/jomi/211941
Correspondence	: Dr. P. Vijayalakshmi	<b>This article is licensed</b>
Contact Author	: pvijibi[at]gmail.com	

One of the most impactful applications of AI is in diagnostic imaging, where deep learning algorithms have demonstrated expert-level accuracy in interpreting radiology and pathology images. Convolutional neural networks (CNNs) are widely used to detect abnormalities in X-rays, CT scans, and MRIs, including early-stage cancers, fractures, and neurological disorders (Hosny *et al.* 2018). In digital pathology, AI facilitates high-throughput analysis of histopathological slides, improving diagnostic consistency and reducing inter-observer variability. Beyond image analysis, AI is a powerful tool for predictive analytics and risk stratification (Ahmad *et al.* 2025). By processing longitudinal data from electronic health records (EHRs), AI models can forecast disease onset, readmission risks, and patient deterioration with high precision. For example, machine learning algorithms trained on real-world clinical datasets can identify high-risk patients with chronic conditions such as diabetes, heart failure, or sepsis, supporting early interventions and personalized treatment plans. Additionally, AI-driven natural language processing (NLP) is revolutionizing the extraction of meaningful insights from unstructured clinical notes (Swinckels *et al.* 2024). NLP tools convert free-text narratives into structured data, facilitating automated charting, diagnostic coding, and clinical summarization. This not only enhances documentation efficiency but also enables real-time integration of textual data into clinical decision support systems. Collectively, these applications underscore AI's potential to streamline diagnostics, reduce the cognitive workload of clinicians, and promote data-driven, proactive healthcare across diverse clinical settings (Eguia *et al.* 2024).




**Figure 1.** The figure illustrates four key areas where AI is transforming clinical practice: Diagnostic Imaging: Leveraging deep learning algorithms to interpret radiological and pathological images; Predictive Analytics: using machine learning models for disease forecasting and patient risk stratification; NLP in EHR Analysis: applying natural language processing to extract structured data from unstructured clinical notes; and Patient Documentation: enhancing clinical efficiency through automated charting and coding. These applications collectively support data-driven decision-making and improved patient outcomes across healthcare settings.

## 2.2. Wearable Sensors and Remote Monitoring

Wearable sensors are now integral to modern digital health ecosystems, offering continuous, non-invasive monitoring of physiological parameters in real time (Figure 2) (Huang *et al.* 2025). These devices, often integrated into smartwatches, patches, or wearable bands, enable biometric tracking of parameters such as heart rate, blood oxygen saturation (SpO<sub>2</sub>), respiratory rate, glucose levels, body temperature, and sleep patterns (Kumar *et al.* 2025). The miniaturization of biosensors and advances in materials science have significantly improved the comfort, accuracy, and durability of these devices, making them suitable for both clinical and at-home use. A key advantage of wearable technology lies in its ability to enable real-time data integration with cloud-based systems (Malode *et al.*

2025). Data captured by the sensors is wirelessly transmitted via Bluetooth or cellular networks to secure cloud platforms, where advanced analytics and AI algorithms can detect abnormal patterns, generate alerts, and support clinical decision-making (Shajari *et al.* 2023).




**Figure 2.** Role of Wearable Sensors in Health Monitoring. This figure illustrates how wearable devices, such as smartwatches and patches, enable continuous, non-invasive tracking of key physiological parameters, such as heart rate, blood oxygen saturation (SpO<sub>2</sub>), respiratory rate, glucose levels, body temperature, and sleep patterns. These biometric data are transmitted in real time to secure cloud platforms for advanced analytics and clinical decision support. Use cases span cardiac care, diabetes management, and sleep disorder monitoring, showcasing the pivotal role of wearables in shifting healthcare toward proactive, personalized, and data-driven models.

This continuous feedback loop enables clinicians to monitor patients remotely, reduce unnecessary hospital visits, and support proactive management of chronic conditions (Peyroteo *et al.* 2021; Serrano *et al.* 2023). Use cases across various medical domains are expanding rapidly. In cardiac care, wearable ECG monitors and pulse oximeters are used to detect arrhythmias, ischemic events, and early signs of heart failure. In diabetes management, continuous glucose monitors (CGMs) help maintain glycemic control and reduce the risk of complications (Hughes *et al.* 2023). For sleep disorders, wearables track circadian rhythm, sleep apnea events, and sleep quality, aiding in behavioural and therapeutic interventions. By enhancing remote monitoring capabilities, wearable sensors play a pivotal role in shifting healthcare from episodic treatment toward preventive, personalized care models driven by real-time data (Yoon and Choi 2023).

## 2.3. Telemedicine and Virtual Care Platforms

Telemedicine has emerged as a cornerstone of digital health, transforming healthcare delivery through remote consultations, diagnostics, and patient monitoring (Figure 3). It encompasses several modes of delivery, including synchronous interactions (e.g., real-time video or audio calls), asynchronous communication (e.g., text messages, image sharing, and email), and remote patient monitoring (RPM) via wearable devices or mobile apps (Kitole and Shukla 2024). These platforms allow healthcare providers to evaluate, diagnose, and manage patients outside traditional clinical settings, thereby increasing the reach and efficiency of medical services (Padovani *et al.* 2023). The COVID-19 pandemic served as a catalyst for the widespread adoption of telemedicine. With lockdowns, overwhelmed hospitals, and the need for physical distancing, virtual care became essential for maintaining continuity of care, particularly for patients with chronic diseases, mental health concerns, or those who are immunocompromised (Wosik *et al.* 2020). Post-pandemic, telehealth has transitioned from a temporary solution to a permanent fixture in many healthcare systems, with governments and insurers expanding reimbursement policies and regulatory support. Telemedicine also plays a crucial role in improving access to specialists, especially in rural or

underserved regions where specialist availability is limited (Shaver 2022). Patients can consult with cardiologists, neurologists, or mental health professionals without the need for long-distance travel, reducing both cost and time burdens. Furthermore, studies have shown that regular virtual follow-ups via telemedicine platforms can significantly reduce hospital readmissions, enhance medication adherence, and improve patient satisfaction (Arafat et al. 2021). Overall, telemedicine fosters equitable, efficient, and scalable healthcare delivery, positioning it as a key enabler of modern, patient-centric health systems. A comparative summary of these features across AI, wearable sensors, and telemedicine platforms is presented in Table 1.



**Figure 3.** Overview of telemedicine as a key component of digital health. The infographic illustrates core aspects of telemedicine, including its role in enabling remote consultations and monitoring, the different modes of delivery (synchronous, asynchronous, and remote patient monitoring), its accelerated adoption during the COVID-19 pandemic, and its continued impact on improving healthcare access, particularly in rural and underserved regions.

### 2.4. Comparative Analysis of Digital Health Technologies

The digital health technology ecosystem consists of three primary components: AI, wearable sensors, and telemedicine platforms, all dedicated to solving fundamental clinical needs, but each with unique strengths, limitations, and contributions. Artificial intelligence (AI) has the potential to process large, heterogeneous clinical datasets and to automatize diagnostic, predictive and documentation functions. Its primary advantages are its high fidelity in imaging interpretation, it can predict the risk of diseases and can be effective to process highly complex, unstructured data (Ahmed et al. 2025). Yet, there are substantial limitations such as algorithmic bias, explainability and issues for regulation in clinical settings. The dependency of AI on sound data integration and the ethical oversight that it requires is critical to level the playing field, especially among underprivileged or marginalized populations. Wearable Sensors make it possible to constantly monitor real-time health related data, thereby promoting the timely identification of physical abnormalities and the management of chronic diseases. Their patient-centered construct enables prevention-led intervention in non-clinic settings rendering them essential for remote care (Abd-Alrazaq et al. 2025). However, the accuracy of the device, battery life span and how to handle data overload are operational limitations. Wearables bring other privacy implications and demand digital literacy; otherwise, older or low-income populations may reject them. Telemedicine Platforms Make healthcare accessible across the country, even in rural and remote

locations through teleconsultation and follow-ups. They are essential during pandemics, providing a scalable level of care while reducing the burden on hospitals (Canali et al. 2022). However, telemedicine is limited by the inherent network reliability as well as constraints on physical examination and regulatory harmonization, such as reimbursement and consent. When combined with AI decision support and remote monitoring through wearables, this inclusion would be most effective as part of a multidimensional care continuum (Rossi and Rehman 2025).

**Table 1.** Comparative Features of Major Digital Health Components (AI, Wearables, Telemedicine)

No	Feature	Artificial Intelligence	Wearable Sensors	Telemedicine Platforms
1.	Primary Function	Data analysis, prediction, clinical decision support	Continuous biometric monitoring	Remote consultation and clinical communication
2.	Key Technologies	Machine learning, deep learning, natural language processing (NLP)	Biosensors, accelerometer, Bluetooth, IoT	Video conferencing, mobile apps, secure messaging
3.	Clinical Applications	Diagnostic imaging, risk stratification, triaging, EHR analytics	Cardiac monitoring, diabetes management, sleep tracking	Chronic disease management, acute care triage, follow-up care
4.	Data Source	Structured and unstructured clinical data, imaging, genomics	Real-time physiological data from body-worn devices	Patient history, real-time video/audio, uploaded reports
5.	Output/ Insight	Predictive models, alerts, automated decision support	Health trend visualization, anomaly alerts	Diagnosis, prescriptions, care recommendation
6.	User Group	Clinicians, hospital administrators, data scientists	Patients, caregivers, fitness/health professionals	Patients, general practitioners, specialists
7.	Integration with EHR	High potential (predictive analytics, NLP documentation)	Moderate (data export to cloud/EHR systems)	High (encounter notes, prescriptions, referrals)
8.	Real-Time Capability	Variable (depends on model and use case)	Yes (continuous real-time monitoring)	Yes (live interaction or asynchronous follow-up)
9.	Scalability	High (centralized/decentralized deployments possible)	High (consumer-grade to clinical-grade devices)	High (platforms scale across regions and specialties)
10.	Limitations	Bias in training data, explainability issues, regulatory complexity	Device accuracy, battery life, data overload	Internet access dependency, limited physical examination
11.	Privacy Consideration	Requires de-identified and secure data handling	Must comply with HIPAA/GDPR for sensitive biometric data	Informed consent, secure communication platforms
12.	Current Regulatory Oversight	FDA, EMA, ISO standards for medical software	FDA (for clinical-grade devices), CE marking	National health authorities, medical councils, HIPAA/telehealth policies
13.	Future Potential	Digital twins, autonomous diagnostics, precision medicine	Smart textiles, multimodal biosensing, integration with AI	Global virtual health networks, remote procedures, multilingual telehealth

Digital health informatics has evolved beyond pilot projects to widespread adoption across a range of clinical settings. Its transformative applications

are particularly evident in chronic disease management, acute care, postoperative monitoring, and mental health services. The integration of artificial intelligence (AI), wearable technologies, and telehealth platforms has enabled more personalized, accessible, and efficient care, ultimately enhanced outcomes and reducing healthcare burdens (Chen *et al.* 2024).

### 3. Disease Management

#### 3.1. Chronic Diseases

One of the most impactful areas of digital health application is in the management of chronic conditions such as hypertension, diabetes, chronic obstructive pulmonary disease (COPD), and heart failure. These conditions require continuous monitoring and timely intervention to prevent disease progression and complications (Al Mahmud *et al.* 2026). Remote patient monitoring (RPM) systems, coupled with wearable biosensors, enable the collection of vital health data, such as blood pressure, blood glucose levels, and blood oxygen saturation (SpO<sub>2</sub>). AI algorithms analyze these data to detect early warning signs, trigger alerts, and support clinical decision-making. For example, in hypertensive patients, wearable blood pressure monitors integrated with mobile applications can facilitate lifestyle interventions and medication titration based on longitudinal trends. In COPD, smart inhalers and pulse oximeters linked to telehealth platforms allow clinicians to detect exacerbations early and adjust treatment remotely, significantly reducing emergency visits and hospitalizations (Ye *et al.* 2020).

#### 3.2. Acute Care and Tele-Triage

In emergency and acute care settings, telehealth platforms provide timely triaging and decision support. Through synchronous video consultations, patients presenting with acute symptoms, such as chest pain, fever, or breathing difficulty, can be assessed in real time by clinicians who determine the urgency of intervention (Ahmed *et al.* 2024). AI-powered symptom checkers and risk stratification tools assist in categorizing patients based on clinical urgency, reducing unnecessary hospital admissions and optimizing emergency department workflows. A notable example is the use of tele-ICU systems, where centralized intensivists monitor multiple critical care units remotely using data from bedside monitors, laboratory values, and imaging results. These systems enhance early detection of clinical deterioration, particularly in resource-limited settings (Wiedermann *et al.* 2023).

#### 3.3. Post-Surgical and Rehabilitation Monitoring

Postoperative care and rehabilitation are critical phases where patients are vulnerable to complications such as infections, poor wound healing, or delayed recovery. Traditionally, postoperative follow-ups require multiple in-person visits, posing challenges for patients with limited mobility or access to care. Digital health tools offer virtual post-surgical monitoring, enabling clinicians to track patient recovery through mobile apps, wearable devices, and video check-ins (McLean *et al.* 2023). Patients can upload wound images, track pain levels, report symptoms, and receive real-time feedback from their providers. In orthopedic surgeries, rehabilitation exercises are now being guided remotely using sensor-enabled devices and motion tracking apps that assess the range of motion and adherence to physiotherapy protocols. These innovations reduce readmissions, improve patient engagement, and promote faster functional recovery (Javed *et al.* 2023).

#### 3.4. Mental Health Care and Digital Therapeutics

Mental health is a domain that has significantly benefited from digital interventions. The global shortage of trained mental health professionals and stigma associated with seeking therapy create major barriers to care. Digital cognitive behavioral therapy (CBT) apps and virtual psychotherapy platforms have emerged as scalable solutions (Torous *et al.*

2025). These applications deliver structured CBT programs via smartphones, enabling users to manage conditions like anxiety, depression, and insomnia. AI chatbots and mood trackers personalize interventions by delivering cognitive restructuring techniques tailored to user input. Moreover, telepsychiatry services have expanded access to licensed mental health professionals, allowing for regular counseling sessions from the comfort and privacy of one's home. Recent clinical trials and meta-analyses support the efficacy of digital mental health tools, with outcomes comparable to in-person therapy in mild to moderate cases (Cruz-Gonzalez *et al.* 2025).

#### 3.5. Integrated Case Studies and Outcomes

Several integrated care models now showcase the value of digital health informatics across diverse populations. For instance, the Veterans Health Administration in the United States has implemented remote monitoring systems for heart failure patients, resulting in a 25% reduction in hospitalizations. Similarly, digital health programs in the UK's National Health Service have leveraged AI and wearables to manage COPD patients at home, improving quality of life metrics while reducing strain on secondary care facilities (Tedeschi *et al.* 2024). These examples illustrate the scalability, adaptability, and long-term impact of digital tools in real-world settings.

#### 3.6. Recent Case Studies

##### 3.6.1. Chronic Disease Management

A study conducted at the University of Washington evaluated the feasibility of remote patient monitoring following full endoscopic spine surgery. Using a smartphone application named SPINEhealthie, 71 patients were prospectively followed for three months postoperatively. The app collected patient-reported outcome measures and facilitated communication between patients and their care team. The study found that remote monitoring was feasible and well-received, suggesting that such digital tools can enhance postoperative care and patient engagement in chronic disease management (Prasse *et al.* 2023).

##### 3.6.2. Virtual Emergency Implementation and Outcomes

A number of studies have examined the feasibility and effectiveness of virtual emergency department (ED) models to improve patient triage and care. These pilots linked patients to an emergency physician for remote evaluation and management, which was effective in reducing visits that had lacked necessity but it also improved patient satisfaction with the experience while dedensifying crowded ED. For instance, a large Australian tertiary health service found that 70% of Virtual ED community triaged patients did not attend physical ED (ie they had high feasibility and clinical appropriateness and implied being cost-effective). Patients expressed consistent appreciation for easy access, convenience, shorter wait times and better care coordination; providers reported more efficient use of resources and greater ease in the work flow (Young-Jamieson *et al.* 2025). Additionally, virtual EDs provided remote access to diagnostics and specialists' consultations which could lead to timely diagnosis and follow-up, particularly for lower-acuity/chronic patients. Escalation to live encounters was rarely indicated for virtual patients, and monitoring safety preserved the necessary level of care. In summary, the organization of these studies by a common terminology allows more robustly comparing and discussing how telehealth impacts acute care delivery and highlights the ability of virtual EDs to change emergency medicine through scale, resource utilization and patient focus (Campbell *et al.* 2023).

##### 3.6.3. Post-Surgical Monitoring

A study evaluated the use of the RedScar<sup>®</sup> smartphone application for remote monitoring of surgical wounds in patients undergoing abdominal

surgery. The app employed automated diagnosis for early visual detection of infections without direct healthcare personnel involvement. The study found that remote monitoring using the app was feasible, secure, and well-received by patients, indicating its potential to enhance postoperative care and early detection of complications (Craus-Miguel *et al.* 2024).

#### 4. Challenges and Limitations

Despite the growing integration of digital health informatics into modern healthcare systems, several critical challenges continue to limit its widespread adoption and long-term sustainability. One of the foremost concerns is data privacy and cybersecurity. The increasing use of wearable sensors, mobile health apps, telemedicine platforms, and cloud-based electronic health records (EHRs) has exponentially expanded the volume and transmission of sensitive patient information. As a result, healthcare has become a prime target for cyberattacks, including data breaches, ransomware, and identity theft (Filkins *et al.* 2016). Inadequate encryption protocols, unsecured APIs, and a lack of user awareness exacerbate these risks. While regulations such as HIPAA and GDPR establish important data protection frameworks, compliance and enforcement vary widely, especially across borders and in low-resource settings. Another major hurdle is standardization and interoperability. The digital health ecosystem consists of a diverse array of devices, applications, and platforms, many of which operate on proprietary systems that lack a common data format or communication protocol. This lack of interoperability hinders the seamless exchange of patient information between care providers, contributes to data silos, and limits the scalability of integrated care solutions (Barbaria *et al.* 2025). Efforts such as the HL7 FHIR standard have made strides toward resolving these issues, but universal adoption remains a challenge. Furthermore, digital literacy among both healthcare professionals and patients presents a significant limitation. Clinicians may struggle with unfamiliar interfaces, interpreting algorithmic recommendations, or integrating digital tools into their workflows. Patients, particularly the elderly, disabled, or those in underserved populations, may face difficulties accessing or navigating telehealth platforms, mobile apps, or remote monitoring devices. Without inclusive design, user-centered training, and ongoing support, digital health innovations risk widening the existing digital divide. Lastly, the issue of bias and fairness in AI models is gaining increasing attention (Ayaz *et al.* 2021). Many AI algorithms used in diagnostics, risk prediction, or treatment recommendations are trained on datasets that are not representative of diverse populations. This can lead to biased outputs, reduced accuracy for minority or underserved groups, and the perpetuation of systemic health disparities. Ensuring fairness requires the use of diverse and inclusive training datasets, transparent reporting of algorithmic performance across demographic groups, and continuous auditing to detect and mitigate bias. Addressing these multifaceted challenges is essential not only for optimizing the technical performance of digital health tools but also for safeguarding ethical integrity, public trust, and equitable healthcare outcomes (Chinta *et al.* 2025).

#### 5. Emerging Trends and Future Directions

The future of digital health informatics is being shaped by several transformative technologies that promise to revolutionize how healthcare is delivered, personalized, and secured. One of the most promising innovations is the development of digital twins, virtual replicas of individual patients built using real-time physiological, genetic, and behavioural data. These models allow clinicians to simulate treatment outcomes, optimize therapies, and predict disease progression *in silico* before applying interventions *in vivo*. By enabling risk-free testing of clinical decisions, digital twins are poised to drive precision medicine and preventive care to unprecedented levels (Silva and Vale 2025). Another emerging trend is the adoption of federated learning, a machine learning

paradigm that enables AI models to be trained across decentralized datasets without transferring sensitive patient data to a central server. This approach not only enhances data security and patient privacy but also enables institutions across geographies to collaboratively improve algorithm performance while complying with stringent data protection regulations. In parallel, blockchain technology is being explored for its potential to ensure transparency, immutability, and traceability in health data management (Shah *et al.* 2025). By creating tamper-proof, decentralized ledgers, blockchain can facilitate secure patient consent, streamline data exchange across institutions, and reduce fraud in clinical trials and insurance claims. Another key advancement is the integration of digital health platforms with genomics and multi-omics data. AI-driven analytics that combine genomic, proteomic, metabolomic, and microbiome data with clinical phenotypes enable deeper insights into disease mechanisms, facilitating highly personalized therapeutic strategies. Furthermore, digital therapeutics (DTx) are emerging as clinically validated, software-based interventions designed to prevent, manage, or treat chronic health conditions such as diabetes, hypertension, and mental health disorders (Kasyapa and Vanmathi 2024). These therapies are often delivered via smartphones or tablets, incorporating behavioural science, personalized feedback, and real-time data to support sustained health outcomes. Several DTx solutions have already received FDA approval, and ongoing trials continue to expand their clinical indications and integration into standard care pathways. Together, these innovations signify a paradigm shift toward data-driven, decentralized, and patient-empowered healthcare. However, their successful implementation will require robust ethical frameworks, global regulatory harmonization, cross-disciplinary collaboration, and continuous validation through real-world evidence. As the digital health landscape evolves, these emerging technologies will not only address current system inefficiencies but also unlock new opportunities for predictive, preventive, and participatory medicine (Armeni *et al.* 2024).

#### 6. Regulatory and Ethical Framework

The expansion of digital health technologies demands robust regulatory and ethical frameworks to ensure data protection, patient autonomy, and algorithmic accountability. Key legislative instruments such as the Health Insurance Portability and Accountability Act (HIPAA) in the United States and the General Data Protection Regulation (GDPR) in the European Union provide foundational standards for safeguarding health information. HIPAA emphasizes the confidentiality, integrity, and availability of protected health information (PHI) by mandating administrative, technical, and physical safeguards (Shang *et al.* 2024). GDPR, with its broader scope, empowers individuals with greater control over their personal data through rights such as data portability and the “right to be forgotten.” In India, the Digital Information Security in Healthcare Act (DISHA) has been proposed as a comprehensive framework to regulate the generation, storage, and exchange of digital health data. DISHA focuses on patient consent, data security, and institutional accountability, and it is expected to complement the National Digital Health Mission (NDHM) in standardizing health data governance (Jain 2023). In the context of telehealth and remote care, ensuring informed consent is both a legal and ethical imperative. Patients must be adequately informed about the nature of digital consultations, potential data sharing practices, technological limitations, and privacy risks. This process should be transparent and accessible, especially for vulnerable populations such as the elderly or those with limited digital literacy. Failure to obtain meaningful consent may undermine patient trust and expose institutions to legal liabilities (Nittari *et al.* 2020). The rise of artificial intelligence (AI) in healthcare introduces new dimensions to accountability and transparency. AI algorithms used in diagnostics, triaging, and treatment recommendations must be subject to rigorous

validation and continuous monitoring. Ethical concerns arise when decision-making is delegated to opaque “black-box” models that lack interpretability. Regulatory bodies are increasingly emphasizing algorithmic explainability, fairness across demographic groups, and real-world performance evaluation. The U.S. Food and Drug Administration (FDA) and the European Medicines Agency (EMA) have initiated frameworks for the assessment and approval of AI-based medical devices, focusing on clinical effectiveness, data representativeness, and human oversight (Bekbolatova *et al.* 2024).

## 7. Practical Barriers to Ethical Framework

**Implementation in LMICs:** The implementation of resilient ethical assurances for digital health in LMICs is confronted with numerous, highly context-dependent practical obstacles. Intermittent internet services, unstable electricity, poorly maintained hardware generally make the acquisition, use and governance of digital health schemes challenging. Widespread digital illiteracy precludes genuine understanding and informed agreement, and health information is frequently not available in local languages (Graham *et al.* 2025). Additionally, data security is jeopardized by uncertainty around data ownership, a lack of enforcement of data protection and data privacy regulations and the frequency of device sharing due to limited resources. All of the item mentioned above may be further aggravated by cultural norms and stigma, which may prevent user engagement and engender mistrust, especially when health technologies do not represent local values and governance structures ignore the community’s voice (Chhabra *et al.* 2025). It is also important to notice that even when the technology might be available and affordable for the population, its implementation may still be unrealistic as LMICs are data-poor, with faulty, partial and prejudiced systems fraught with issues of equity, safety, and policy amplification

## 8. Economic Evaluations and Cost-Effectiveness

The cost-effectiveness of digital health interventions, such as AI applications, wearable sensors and telemedicine platforms, has shown some good prospects among different areas. Systematic evaluations highlight emerging evidence suggesting that interventions of this sort can enhance health-care outcomes and offer a means to lower overall costs, with economic implications from both health-care and societal perspectives (Gentili *et al.* 2022). For example, telemedicine and remote monitoring reduce hospital readmission rates, emergency visits, and the need for transportation – which is especially valuable in rural and underserved communities. AI-enabled applications save time in diagnosing and treating and increase accuracy, leading to significant savings by eliminating unnecessary procedures or hospital stays. Wearables devices help with prevention and management of chronic diseases resulting in better health outcomes and cost reduction through fewer aggravations or hospital stays. Several cost-utility and cost-effectiveness analyses from the perspective of high-income countries also support these findings, suggesting that mobile apps, wearables, and remote monitoring platforms are likely to be cost-effective or dominant compared with standard care (Maleki Varnosfaderani and Forouzanfar 2024). Results differ according to intervention and setting, but the majority of digital health technology has been found to have favourable ICERs compared with accepted willingness-to-pay thresholds. Despite these positive results, there are still considerable difficulties in comparing studies given the heterogeneity of study designs, populations and outcome measures. Additional ‘standardized, yet locally contextual’ economic evaluations are warranted to support good policy and investment decision-making worldwide, especially in resource-scarce settings such as LMIC where resource use must be judiciously optimized (Kyaw *et al.* 2023).

## 9. Conclusion

Digital health informatics stands at the forefront of a healthcare revolution, transforming the way care is delivered, managed, and experienced across the continuum. Innovations such as artificial intelligence for diagnostic support, wearable sensors for real-time biometric monitoring, telemedicine for remote access, and digital therapeutics for chronic disease management have collectively advanced the precision, efficiency, and reach of modern medicine. Emerging technologies, including digital twins, federated learning, blockchain, and integration with genomics, signal a shift toward personalized, decentralized, and data-driven care ecosystems. These tools not only enhance clinical outcomes but also optimize operational workflows and empower patients as active participants in their health journeys. However, the successful realization of these benefits depends on addressing persistent challenges, such as data privacy, standardization, digital literacy, and algorithmic bias. These limitations underscore the need for a coordinated and inclusive approach involving clinicians, technologists, regulators, researchers, and patients. Multi-stakeholder collaboration is essential to establish ethical standards, develop interoperable systems, and create robust validation frameworks that can scale across diverse healthcare settings. Looking ahead, the vision for digital health informatics is one of intelligent, equitable, and accessible healthcare ecosystems, where technology complements clinical expertise, bridges geographic and socioeconomic gaps, and ensures that high-quality care is not a privilege but a universal right. By embracing innovation while upholding core principles of safety, transparency, and inclusivity, digital health can truly redefine the future of global health systems and bring us closer to achieving sustainable, people-centered care for all.

## 10. Disclosure Statements

### 10.1. Author Contribution

**Author Contribution:** Y.H.W.T.-Writing-Original draft, Z.H.A.S.-Conceptualization, V.V.V.-Preparation, F.M.D.-Methodology, S.J.R.S.-Validation; B.R.- Validation, P.V.- Writing-Review and Editing, Supervision.

### 10.2. Declaration of Generative AI

The authors declare that no generative AI tools were used in the drafting, writing, or editing of the manuscript. All scientific interpretations and conclusions are the author’s own. AI-based tools were used only for language grammar refinement and formatting purposes, and the final content was verified and approved by the authors.

### 10.3. Ethics approval (for clinical/animal studies)

Ethical review and approval were waived for this study by the Institutional Review Board of Holy Cross College (Autonomous), Affiliated to Bharathidasan University, Tiruchirappalli, Tamil Nadu, India, as the research involved publicly available data.

### 10.4. Informed Consent Statement

Not applicable.

### 10.5. Data Availability Statement

The data that support the findings of this study are available from the corresponding author upon reasonable request.

### 10.6. Acknowledgment

The authors thankfully acknowledge the Department of Science and Technology, Government of India, for providing support through the Fund for Improvement of S&T Infrastructure in Universities and Higher Educational Institutions (FIST) program (Grant No. SR/FIST/College-/2020/943)

## 10.7. Funding Statement

Department of Science and Technology, Government of India, through the Fund “Improvement of S&T Infrastructure in Universities and Higher Educational Institutions (FIST) program (Grant No. SR/FIST/College-2020/943)”

## 10.8. Conflicts of Interest

The authors declare that they have no known financial, personal, academic, or other relationships that could inappropriately influence, or be perceived to influence, the work reported in this manuscript. All authors confirm that there are no competing interests to declare.

## 10.9. Corresponding Author Contact Information

The corresponding author **Dr. Periyasamy Vijayalakshmi** can be contacted via email [pvijibi\[at\]gmail.com](mailto:pvijibi[at]gmail.com).

## 11. Reference

- Abd-Alrazaq A, Solaiman B, Mekki YM, Al-Thani D, Farooq F, Alkubeyyer M, Abubacker MZ, AlSaad R, Aziz S, Serag A, Thomas R, Sheikh J, Ahmed A. (2025), Hype vs Reality in the Integration of Artificial Intelligence in Clinical Workflows, *JMIR Form Res*, 9:e70921. **doi:**10.2196/70921. **PMID:** 41385778.
- Ahmad Z, Alzubaidi M, Al-Thelaya K, Cali C, Boughorbel S, Schneider J, Agus M. (2025), Advancing open-source visual analytics in digital pathology: A systematic review of tools, trends, and clinical applications, *J Pathol Inform*, 18:100454. **doi:**10.1016/j.jpi.2025.100454. **PMID:** 40599690.
- Ahmed AA, Mojiri ME, Daghri AA, Hakami OA, Alruwaili RF, Khan RA, Madkhali HA, Almania MM, Hakami ZT, Mashraqi KO, Adawi KA, Alqattan SA, Alharbi AN, Albahlol MA, Moafa AI. (2024), The Role of Telemedicine in Emergency Department Triage and Patient Care: A Systematic Review, *Cureus*, 16(12):e75505. **doi:**10.7759/cureus.75505. **PMID:** 39803013.
- Ahmed MM, Okesanya OJ, Olaleke NO, Adigun OA, Adebayo UO, Oso TA, Eshun G, Lucero-Prisno DE, 3rd. (2025), Integrating Digital Health Innovations to Achieve Universal Health Coverage: Promoting Health Outcomes and Quality Through Global Public Health Equity, *Healthcare (Basel)*, 13(9) **doi:**10.3390/healthcare13091060. **PMID:** 40361838.
- Al Mahmud A, Joachim S, Jayaraman PP, Learmonth C, Tyagi S, Forkan ARM, Shukat M, Wickramasinghe N, Wheeler J, Best S, Trainer A. (2026), Digital Health Interventions to Support Chronic Disease Management: Systematic Scoping Review, *JMIR Mhealth Uhealth*, 14:e63742. **doi:**10.2196/63742. **PMID:** 41533959.
- Almalki ZS, Alahmari AK, Alajlan SA, Alqahtani A, Alshehri AM, Alghamdi SA, Alanezi AA, Alawaji BK, Alanazi TA, Almutairi RA, Aldosari S, Ahmed N. (2023), Continuity of care in primary healthcare settings among patients with chronic diseases in Saudi Arabia, *SAGE Open Med*, 11:20503121231208648. **doi:**10.1177/20503121231208648. **PMID:** 37915839.
- Arafat MY, Zaman S, Hawlader MDH. (2021), Telemedicine improves mental health in COVID-19 pandemic, *J Glob Health*, 11:03004. **doi:**10.7189/jogh.11.03004. **PMID:** 34326984.
- Armeni P, Polat I, De Rossi LM, Diaferia L, Merregalli S, Gatti A. (2024), Exploring the potential of digital therapeutics: An assessment of progress and promise, *Digit Health*, 10:20552076241277441. **doi:**10.1177/20552076241277441. **PMID:** 39291152.
- Ayaz M, Pasha MF, Alzahrani MY, Budiarto R, Stiawan D. (2021), The Fast Health Interoperability Resources (FHIR) Standard: Systematic Literature Review of Implementations, Applications, Challenges and Opportunities, *JMIR Med Inform*, 9(7):e21929. **doi:**10.2196/21929. **PMID:** 34328424.
- Barbaria S, Jemai A, Ceylan HI, Muntean RI, Dergaa I, Boussi Rahmouni H. (2025), Advancing Compliance with HIPAA and GDPR in Healthcare: A Blockchain-Based Strategy for Secure Data Exchange in Clinical Research Involving Private Health Information, *Healthcare (Basel)*, 13(20) **doi:**10.3390/healthcare13202594. **PMID:** 41154272.
- Bekbolatova M, Mayer J, Ong CW, Toma M. (2024), Transformative Potential of AI in Healthcare: Definitions, Applications, and Navigating the Ethical Landscape and Public Perspectives, *Healthcare (Basel)*, 12(2) **doi:**10.3390/healthcare12020125. **PMID:** 38255014.
- Cacciatore S, Mao S, Nunez MV, Massaro C, Spadafora L, Bernardi M, Perone F, Sabouret P, Biondi-Zoccai G, Banach M, Calvani R, Tosato M, Marzetti E, Landi F. (2025), Urban health inequities and healthy longevity: traditional and emerging risk factors across the cities and policy implications, *Aging Clin Exp Res*, 37(1):143. **doi:**10.1007/s40520-025-03052-1. **PMID:** 40332678.
- Campbell K, Greenfield G, Li E, O'Brien N, Hayhoe B, Beaney T, Majeed A, Neves AL. (2023), The Impact of Virtual Consultations on the Quality of Primary Care: Systematic Review, *J Med Internet Res*, 25:e48920. **doi:**10.2196/48920. **PMID:** 37647117.
- Canali S, Schiaffonati V, Aliverti A. (2022), Challenges and recommendations for wearable devices in digital health: Data quality, interoperability, health equity, fairness, *PLOS Digit Health*, 1(10):e0000104. **doi:**10.1371/journal.pdig.0000104. **PMID:** 36812619.
- Chen Y, Lehmann CU, Malin B. (2024), Digital Information Ecosystems in Modern Care Coordination and Patient Care Pathways and the Challenges and Opportunities for AI Solutions, *J Med Internet Res*, 26:e60258. **doi:**10.2196/60258. **PMID:** 39622048.
- Chhabra J, Pilkington V, Benakovic R, Wilson MJ, La Sala L, Seidler Z. (2025), Social Media and Youth Mental Health: Scoping Review of Platform and Policy Recommendations, *J Med Internet Res*, 27:e72061. **doi:**10.2196/72061. **PMID:** 40540734.
- Chinta SV, Wang Z, Palikhe A, Zhang X, Kashif A, Smith MA, Liu J, Zhang W. (2025), AI-driven healthcare: Fairness in AI healthcare: A survey, *PLOS Digit Health*, 4(5):e0000864. **doi:**10.1371/journal.pdig.0000864. **PMID:** 40392801.
- Craus-Miguel A, Munar M, Moya-Alcover G, Contreras-Nogales AM, Gonzalez-Hidalgo M, Segura-Sampedro JJ. (2024), Enhancing Surgical Wound Monitoring: A Paired Cohort Study Evaluating a New AI-Based Application for Automatic Detection of Potential Infections, *J Clin Med*, 13(24) **doi:**10.3390/jcm13247863. **PMID:** 39768786.
- Cruz-Gonzalez P, He AW, Lam EP, Ng IMC, Li MW, Hou R, Chan JN, Sahni Y, Vinas Guasch N, Miller T, Lau BW, Sanchez Vidana DI. (2025), Artificial intelligence in mental health care: a systematic review of diagnosis, monitoring, and intervention applications, *Psychol Med*, 55:e18. **doi:**10.1017/S0033291724003295. **PMID:** 39911020.
- Donelle L, Comer L, Hiebert B, Hall J, Shelley JJ, Smith MJ, Kothari A, Burkell J, Stranges S, Cooke T, Shelley JM, Gilliland J, Ngole M, Facca D. (2023), Use of digital technologies for public health surveillance during the COVID-19 pandemic: A scoping review, *Digit Health*, 9:20552076231173220. **doi:**10.1177/20552076231173220. **PMID:** 37214658.
- Eguia H, Sanchez-Bocanegra CL, Vinciarelli F, Alvarez-Lopez F, Saigi-Rubio F. (2024), Clinical Decision Support and Natural Language Processing in Medicine: Systematic Literature Review, *J Med Internet Res*, 26:e55315. **doi:**10.2196/55315. **PMID:** 39348889.
- Ezeamii VC, Okobi OE, Wambai-Sani H, Perera GS, Zaynieva S, Okonkwo CC, Ohaiba MM, William-Enemali PC, Obodo OR, Obiefuna NG. (2024), Revolutionizing Healthcare: How Telemedicine Is Improving Patient Outcomes and Expanding Access to Care, *Cureus*, 16(7):e63881. **doi:**10.7759/cureus.63881. **PMID:** 39099901.
- Fahim YA, Hasani IW, Kabba S, Ragab WM. (2025), Artificial intelligence in healthcare and medicine: clinical applications, therapeutic advances, and future perspectives, *Eur J Med Res*, 30(1):848. **doi:**10.1186/s40001-025-03196-w. **PMID:** 40988064.
- Filkins BL, Kim JY, Roberts B, Armstrong W, Miller MA, Hultner ML, Castillo AP, Ducom JC, Topol EJ, Steinhubl SR. (2016), Privacy and security in the era of digital health: what should translational researchers know and do about it?, *Am J Transl Res*, 8(3):1560-80. **doi:**<https://www.ncbi.nlm.nih.gov/pubmed/27186282>. **PMID:** 27186282.
- Gentili A, Failla G, Melnyk A, Puleo V, Tanna GLD, Ricciardi W, Cascini F. (2022), The cost-effectiveness of digital health interventions: A systematic

- review of the literature, *Front Public Health*, 10:787135. doi:10.3389/fpubh.2022.787135. PMID: 36033812.
- Graham HR, King C, Rahman AE, Kitutu FE, Greenslade L, Aqeel M, Baker T, Brito LFM, Campbell H, Czischke K, English M, Falade AG, Garcia PJ, Gil M, Graham SM, Gray AZ, Howie SRC, Kissonn N, Laxminarayan R, Li Lin I, Lipnick MS, Lowe DB, Lowrance D, McCollum ED, Mvalo T, Oliwa J, Swartling Peterson S, Workneh RS, Zar HJ, El Arifeen S, Ssenooba F. (2025), Reducing global inequities in medical oxygen access: the Lancet Global Health Commission on medical oxygen security, *Lancet Glob Health*, 13(3):e528-e584. doi:10.1016/S2214-109X(24)00496-0. PMID: 39978385.
- Haleem A, Javaid M, Singh RP, Suman R. (2021), Telemedicine for healthcare: Capabilities, features, barriers, and applications, *Sens Int*, 2:100117. doi:10.1016/j.sintl.2021.100117. PMID: 34806053.
- He Q, Silva PJ, Ory M, Wang N, Ramos KS. (2024), Application of Digital Informatics in Precision Prevention, Epidemiology, and Clinicogenomics Research to Advance Precision Healthcare, *Yearb Med Inform*, 33(1):250-261. doi:10.1055/s-0044-1800753. PMID: 40199312.
- Hosny A, Parmar C, Quackenbush J, Schwartz LH, Aerts H. (2018), Artificial intelligence in radiology, *Nat Rev Cancer*, 18(8):500-510. doi:10.1038/s41568-018-0016-5. PMID: 29777175.
- Huang G, Chen X, Liao C. (2025), AI-Driven Wearable Bioelectronics in Digital Healthcare, *Biosensors (Basel)*, 15(7) doi:10.3390/bios15070410. PMID: 40710060.
- Hughes A, Shandhi MMH, Master H, Dunn J, Brittain E. (2023), Wearable Devices in Cardiovascular Medicine, *Circ Res*, 132(5):652-670. doi:10.1161/CIRCRESAHA.122.322389. PMID: 36862812.
- Jain D. (2023), Regulation of Digital Healthcare in India: Ethical and Legal Challenges, *Healthcare (Basel)*, 11(6) doi:10.3390/healthcare11060911. PMID: 36981568.
- Javed H, Olanrewaju OA, Ansah Owusu F, Saleem A, Pavani P, Tariq H, Vasquez Ortiz BS, Ram R, Varrassi G. (2023), Challenges and Solutions in Postoperative Complications: A Narrative Review in General Surgery, *Cureus*, 15(12):e50942. doi:10.7759/cureus.50942. PMID: 38264378.
- Kasyapa MSB, Vanmathi C. (2024), Blockchain integration in healthcare: a comprehensive investigation of use cases, performance issues, and mitigation strategies, *Front Digit Health*, 6:1359858. doi:10.3389/fdgth.2024.1359858. PMID: 38736708.
- Kitole FA, Shukla S. (2024), Cloud Horizons: Strengthening Rural Healthcare Through Telemedicine's Digital Canopy, *Health Serv Insights*, 17:11786329241284401. doi:10.1177/11786329241284401. PMID: 39347458.
- Kulikowski CA. (2022), Ethics in the History of Medical Informatics for Decision-Making: Early Challenges to Digital Health Goals, *Yearb Med Inform*, 31(1):317-322. doi:10.1055/s-0042-1742491. PMID: 35654428.
- Kumar A, Goel S, Chaudhary A, Dutt S, Mishra VK, Kumar R. (2025), Artificial Intelligence-Based Wearable Sensing Technologies for the Management of Cancer, Diabetes, and COVID-19, *Biosensors (Basel)*, 15(11) doi:10.3390/bios15110756. PMID: 41294766.
- Kyaw TL, Ng N, Theocharaki M, Wennberg P, Sahlen KG. (2023), Cost-effectiveness of Digital Tools for Behavior Change Interventions Among People With Chronic Diseases: Systematic Review, *Interact J Med Res*, 12:e42396. doi:10.2196/42396. PMID: 36795470.
- Linder JE, Bastarache L, Hughey JJ, Peterson JE. (2021), The Role of Electronic Health Records in Advancing Genomic Medicine, *Annu Rev Genomics Hum Genet*, 22:219-238. doi:10.1146/annurev-genom-121120-125204. PMID: 34038146.
- Maleki Varnosfaderani S, Forouzanfar M. (2024), The Role of AI in Hospitals and Clinics: Transforming Healthcare in the 21st Century, *Bioengineering (Basel)*, 11(4) doi:10.3390/bioengineering11040337. PMID: 38671759.
- Malode SJ, Alshehri MA, Shetti NP. (2025), Revolutionizing human healthcare with wearable sensors for monitoring human strain, *Colloids Surf B Biointerfaces*, 246:114384. doi:10.1016/j.colsurfb.2024.114384. PMID: 39579495.
- McLean KA, Knight SR, Diehl TM, Varghese C, Ng N, Potter MA, Zafar SN, Bouamrane MM, Harrison EM. (2023), Readiness for implementation of novel digital health interventions for postoperative monitoring: a systematic review and clinical innovation network analysis, *Lancet Digit Health*, 5(5):e295-e315. doi:10.1016/S2589-7500(23)00026-2. PMID: 37100544.
- Mumtaz H, Riaz MH, Wajid H, Saqib M, Zeeshan MH, Khan SE, Chauhan YR, Sohail H, Vohra LI. (2023), Current challenges and potential solutions to the use of digital health technologies in evidence generation: a narrative review, *Front Digit Health*, 5:1203945. doi:10.3389/fdgth.2023.1203945. PMID: 37840685.
- Nittari G, Khuman R, Baldoni S, Pallotta G, Battineni G, Sirignano A, Amenta F, Ricci G. (2020), Telemedicine Practice: Review of the Current Ethical and Legal Challenges, *Telemed J E Health*, 26(12):1427-1437. doi:10.1089/tmj.2019.0158. PMID: 32049608.
- Padovani P, Singh Y, Pass RH, Vasile CM, Nield LE, Baruteau AE. (2023), E-Health: A Game Changer in Fetal and Neonatal Cardiology?, *J Clin Med*, 12(21) doi:10.3390/jcm12216865. PMID: 37959330.
- Peyroteo M, Ferreira IA, Elvas LB, Ferreira JC, Lapao LV. (2021), Remote Monitoring Systems for Patients With Chronic Diseases in Primary Health Care: Systematic Review, *JMIR Mhealth Uhealth*, 9(12):e28285. doi:10.2196/28285. PMID: 34932000.
- Prasse T, Yap N, Sivakanthan S, Pan J, Ogunlade J, Bredow J, Eysel P, Ellenbogen RG, Hofstetter CP. (2023), Remote patient monitoring following full endoscopic spine surgery: feasibility and patient satisfaction, *J Neurosurg Spine*, 39(1):122-131. doi:10.3171/2023.2.SPINE23136. PMID: 37060314.
- Riaz IB, Khan MA, Osterman TJ. (2025), Artificial intelligence across the cancer care continuum, *Cancer*, 131(16):e70050. doi:10.1002/cncr.70050. PMID: 40810209.
- Rossi M, Rehman S. (2025), Integrating Artificial Intelligence Into Telemedicine: Evidence, Challenges, and Future Directions, *Cureus*, 17(8):e90829. doi:10.7759/cureus.90829. PMID: 40988810.
- Serrano LP, Maita KC, Avila FR, Torres-Guzman RA, Garcia JP, Eldaly AS, Haider CR, Felton CL, Paulson MR, Maniaci MJ, Forte AJ. (2023), Benefits and Challenges of Remote Patient Monitoring as Perceived by Health Care Practitioners: A Systematic Review, *Perm J*, 27(4):100-111. doi:10.7812/TPP/23.022. PMID: 37735970.
- Shah ST, Ali Z, Waqar M, Kim A. (2025), Federated Learning in Public Health: A Systematic Review of Decentralized, Equitable, and Secure Disease Prevention Approaches, *Healthcare (Basel)*, 13(21) doi:10.3390/healthcare13212760. PMID: 41228128.
- Shajari S, Kuruvinschetti K, Komeili A, Sundararaj U. (2023), The Emergence of AI-Based Wearable Sensors for Digital Health Technology: A Review, *Sensors (Basel)*, 23(23) doi:10.3390/s23239498. PMID: 38067871.
- Shang Z, Chauhan V, Devi K, Patil S. (2024), Artificial Intelligence, the Digital Surgeon: Unravelling Its Emerging Footprint in Healthcare - The Narrative Review, *J Multidiscip Healthc*, 17:4011-4022. doi:10.2147/JMDH.S482757. PMID: 39165254.
- Shaver J. (2022), The State of Telehealth Before and After the COVID-19 Pandemic, *Prim Care*, 49(4):517-530. doi:10.1016/j.pop.2022.04.002. PMID: 36357058.
- Silva A, Vale N. (2025), Digital Twins in Personalized Medicine: Bridging Innovation and Clinical Reality, *J Pers Med*, 15(11) doi:10.3390/jpm15110503. PMID: 41295204.
- Stoumpos AI, Kitsios F, Talias MA. (2023), Digital Transformation in Healthcare: Technology Acceptance and Its Applications, *Int J Environ Res Public Health*, 20(4) doi:10.3390/ijerph20043407. PMID: 36834105.
- Swinckels L, Bennis FC, Ziesemer KA, Scheerman JFM, Bijwaard H, de Keijzer A, Bruers JJ. (2024), The Use of Deep Learning and Machine Learning on Longitudinal Electronic Health Records for the Early Detection and Prevention of Diseases: Scoping Review, *J Med Internet Res*, 26:e48320. doi:10.2196/48320. PMID: 39163096.
- Talal M, Zaidan AA, Zaidan BB, Albahri AS, Alamoodi AH, Albahri OS, Alsalem MA, Lim CK, Tan KL, Shir WL, Mohammed KI. (2019), Smart Home-based IoT for Real-time and Secure Remote Health Monitoring of Triage and Priority System using Body Sensors: Multi-driven Systematic

- Review, *J Med Syst*, 43(3):42. doi:10.1007/s10916-019-1158-z. PMID: 30648217.
- Tedeschi A, Palazzini M, Trimarchi G, Conti N, Di Spigno F, Gentile P, D'Angelo L, Garascia A, Ammirati E, Morici N, Aschieri D. (2024), Heart Failure Management through Telehealth: Expanding Care and Connecting Hearts, *J Clin Med*, 13(9) doi:10.3390/jcm13092592. PMID: 38731120.
- Torous J, Linardon J, Goldberg SB, Sun S, Bell I, Nicholas J, Hassan L, Hua Y, Milton A, Firth J. (2025), The evolving field of digital mental health: current evidence and implementation issues for smartphone apps, generative artificial intelligence, and virtual reality, *World Psychiatry*, 24(2):156-174. doi:10.1002/wps.21299. PMID: 40371757.
- Vo DK, Trinh KTL. (2024), Advances in Wearable Biosensors for Healthcare: Current Trends, Applications, and Future Perspectives, *Biosensors (Basel)*, 14(11) doi:10.3390/bios14110560. PMID: 39590019.
- Wiedermann CJ, Mahlkecht A, Piccoliori G, Engl A. (2023), Redesigning Primary Care: The Emergence of Artificial-Intelligence-Driven Symptom Diagnostic Tools, *J Pers Med*, 13(9) doi:10.3390/jpm13091379. PMID: 37763147.
- Wosik J, Fudim M, Cameron B, Gellad ZF, Cho A, Phinney D, Curtis S, Roman M, Poon EG, Ferranti J, Katz JN, Tchong J. (2020), Telehealth transformation: COVID-19 and the rise of virtual care, *J Am Med Inform Assoc*, 27(6):957-962. doi:10.1093/jamia/ocaa067. PMID: 32311034.
- Ye S, Feng S, Huang L, Bian S. (2020), Recent Progress in Wearable Biosensors: From Healthcare Monitoring to Sports Analytics, *Biosensors (Basel)*, 10(12) doi:10.3390/bios10120205. PMID: 33333888.
- Yoon H, Choi SH. (2023), Technologies for sleep monitoring at home: wearables and nearables, *Biomed Eng Lett*, 13(3):313-327. doi:10.1007/s13534-023-00305-8. PMID: 37519880.
- Young-Jamieson J, Bekkeli R, Michael A, Smithson R. (2025), Feasibility of a Pre-Hospital Virtual Triage and Care Model: A Mixed-Methods Pilot in Emergency Care, *Emerg Med Australas*, 37(6):e70168. doi:10.1111/1742-6723.70168. PMID: 41243403.

**Language Policy from Publisher:** The publisher, editors, and reviewers are not responsible for the accuracy, completeness, or appropriateness of the language, grammar, spelling, or style used in this article. The content, including all linguistic and stylistic elements, is the sole responsibility of the authors. Aayvu Publications Private Limited does not provide language editing services, and the authors are solely responsible for ensuring that their manuscript is linguistically accurate and professionally presented prior to submission. The publisher has made no guarantees regarding the language quality of the manuscript and shall not be held liable for any misunderstanding, misinterpretation, or consequences arising from language or grammatical issues. It is the author's duty to ensure that the manuscript meets accepted scholarly and professional communication standards before submission.

**Publisher Note:** All statements, findings, conclusions, and opinions expressed in this article are solely those of the authors and do not necessarily reflect the views of their affiliated organizations, the publisher, the editors, or the reviewers, either in the past, present, or future. The publisher (publisherID=189530) remains neutral with regard to jurisdictional claims in published maps and institutional affiliations, as well as in matters of gender, sex, race, ethnicity, religion, culture, disability, age, sexual orientation, and other aspects of diversity and inclusion. Any product, service, or method that may be evaluated in this article, or any claim that may be made by its manufacturer, is not guaranteed, endorsed, or recommended by the publisher.

**Open Access License:** This article is an open access article distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, sharing, adaptation, distribution, and reproduction in any medium or format, provided appropriate credit is given to the original author(s) and the source, a link to the license is provided, and indication of changes (if any) is made.

**How to Cite:** Wafa Thabassum, Y. H., Aysha Saliha, Z. H., Vignaraja Varsha, V., Francis Maria Dharshini, F. M., Reina Sharon. SJ., R. S., Ramya, B., Vijayalakshmi, P. (2026). Digital health informatics: Bridging clinical gaps through AI, wearable sensors, and telemedicine technologies. *Journal of Medico Informatics*, 2(1), 31–39. doi: <http://doi.org/10.64659/jomi/211941>